# **SAFETY DATA SHEET**

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830

## **GOLD HAIR COME TRUE CONDITIONER**

Date: 10/24/2019 Vers: 0

# SECTION 1: Identification of the substance/ mixture and of the company/undertaking

#### 1.1 Product identifier

Product description: GOLD HAIR COME TRUE CONDITIONER

Product code: PF020558 - Cl019321

#### 1.2 Relevant identified uses

cosmetic product

# 1.3 Details of the supplier of the safety data sheet

Gold Haircare APS Studiestræde 35 1455 Kbh K

Tel. +45 20729095

e-mail: victor@goldhaircare.com

# 1.4 Emergency telephone number

In case of medical emergencies, contact your local poisons control center

# **SECTION 2: Hazard identification**

# 2.1 Classification of the substance/mixture according to (EC) 1272/2008

Eye Dam. 1

Aquatic Chronic 3

# 2.2 Label according to (EC) 1272/2008

#### Pictogram:



GHS05

#### Signal Word

Danger

#### **Hazard statement:**

H318 Causes serious eye damage

H412 Harmful to aquatic life with long-lasting effects

# Precautionary statement (Disposal)

P501 Dispose of contents/container in accordance with local/regional/national/international regulation Precautionary statement (Prevention)

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection

#### Precautionary statement (Response)

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

#### 2.3 Additional hazards

None known

# SECTION 3: Composition / informations on ingredients

#### 3.1 Substances:

Not applicable

#### 3.2 Mixture:

#### < 1 % BEHENTRIMONIUM METHOSULFATE

CAS#: 81646-13-1 EINECS#: 279-791-1

Skin Irrit. 2 H315 - Eye Dam. 1 H318 - STOT RE 2 H373 - Aquatic Acute 1 H400 - Fattore M: 1

< 1 % DISODIUM EDTA

CAS#: 139-33-3 EINECS#:

Acute Tox. 4 H332 - STOT RE 2 H373

< 1 % ETHYLHEXYLGLYCERIN

CAS#: 70445-33-9 EINECS#: 408-080-2

Eye Dam. 1 H318 - Aquatic Chronic 3 H412 - Acute Tox. 4 H332

< 1 % ISOPROPYL ALCOHOL

CAS#: 67-63-0 EINECS#:

Flam. Liq. 2 H225 - Eye Irrit. 2 H319 - STOT SE 3 H336

< 1 % LACTIC ACID

CAS#: 50-21-5 EINECS#: 200-018-0 Skin Irrit. 2 H315 – Eye Dam. 1 H318

< 1 % PHENOXYETHANOL

CAS#: 122-99-6 EINECS#: 204-589-7 Acute Tox. 4 H302 – Eye Irrit. 2 H319 1-3 % BEHENTRIMONIUM CHLORIDE

CAS#: 17301-53-0 EINECS#: 241-327-0

Skin Irrit. 2 H315 - Eye Dam. 1 H318 - STOT RE 2 H373 - Aquatic Acute 1 H400 - Aquatic Chronic 2 H411 - Fattore M: 1

1-3 % STEARAMIDOPROPYL DIMETHYLAMINE

CAS#: 07/02/7651 EINECS#: 231-609-1

Eye Dam. 1 H318 - Aquatic Chronic 1 H410 - Aquatic Acute 1 H400 - Fattore M: 1

# SECTION 4: First aid measures

# 4.1 Description of first aid measures

#### Inhalation

Move victim to a well-ventilated place or into fresh air; in case of malaise get medical advice.

# Skin contact

Wash off with plenty of water. Change clothing if necessary. If irritation persists, or tissue damage shows, seek for medical advice.

#### Eye contact

Flush eyes under running water for a few minutes, keeping eyelids well opened. If pain persists, seek for medical advice.

#### <u>Ingestion</u>

Do not induce vomiting, unless after obtaining medical authorization to do so. Never give anything by mouth to an unconscious person. Consult a physician, showing the safety data sheet.

# 4.2 Main symptoms

Symptoms and effects known are reported in Section 2 and/or Section 11. Other effects are possible.

# 4.3 Indications for medical intervention and / or specific treatments

Treatments: symptomatic treatment.

# **SECTION 5: Fire fighting measures**

#### 5.1 Extinguishing media

Water, CO2, foam, dry powder, depending on the materials affected by the fire.

# 5.2 Special hazards by the product/itself

In case of fire, carbon oxides can be released. In some case, if fire occurs, some dangerous combustion products can be released.

# 5.3 Advice for fire-fighters

Avoid breathing fumes.

Wear self-contained breathing apparatus if necessary.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protection equipment and emergency procedures:

Wear self-contained breathing apparatus, gloves and protective clothes.

Refer to Section 8.

# 6.2 Environmental precautions

Limit leakages and spillage with sand or soil.

If product has drained into streams or drainage system, or has contaminated soil or plants, warn authorities.

# 6.3 Methods e materials for containment

Quickly collect the product wearing protective mask and clothing.

If the product is in a liquid form, prevent it goes into the sewer system. Collect the product for re-use if possible, or for the disposal. Eventually absorb with inert material. After collecting residues, wash interested zone and materials with water.

#### 6.4 Reference to other sections

Where appropriate, reference is made to sections 8 and 13.

#### SECTION 7: Handling and storage

For transport, storage and handling only use suitable materials.

# 7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice.

Avoid contact and inhalation of vapours. See also paragraph 8.

When using do not eat or drink.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool and dry place. Avoid direct exposure to the sun. Keep away from open flames, sparks and other sources of ignition. No smoking. Make sure there is adequate ventilation.

# 7.3 Specific final uses

No data available

# SECTION 8: Exposure controls / personal protection

#### 8.1 Control parameters

No data available

#### 8.2 Exposure control

#### Personal protective equipment

General protective and hygienic measures.

At work do not eat, drink or smoke. Use of appropriate protection measures for hands, eyes, skin and respiratory system. The manufacturer of the protective equipment should ensure that the means are appropriate to the concerned product.

#### Respiratory protection

If threshold value for daily exposure in the workplace is exceeded, wear a half-mask type FFP3 (ref. STANDARD EN 141). In the case the substance is odorless or its olfactory threshold is higher than the relative exposure limit, or in case of emergency, i.e. when exposure levels are unknown or the concentration of oxygen in the workplace is less than 17% volume, wear a compressed air breathing apparatus (EN 137) or fresh air hose breathing apparatus for use with full face mask, half mask or mouthpiece (EN 138).

#### **Hand protection**

Protect your hands with gloves category II (ref. Dir. 89/686 / EEC and standard EN 374) such as PVC, nitrile, neoprene or equivalent.

#### Eye protection

Safety glasses with side shields (EN 166).

#### Additional information about design of technical facilities

Workplace must be adequately ventilated. Where possible, install localized air intake system and effective system for general air exchange. If these measures are not sufficient to maintain concentrations of particulates and solvent vapors below the exposure limit, you will need to make use of appropriate respiratory protection.

# SECTION 9: Physical and chemical properties

Aspect: Emulsion Colour: White

 Odour:
 Characteristic

 Density:
 0,960 - 1,000

 Dry content (110 °C):
 12,00 - 17,00

 pH:
 3,8 - 4,8

 Viscosity, dynamic:
 11000 - 24000

Flash point: n.d.

# **SECTION** 10: Stability and reactivity

#### 10.1 Reactivity

There are no data available on the product itself.

# 10.2 Chemical stability

The product is stable in normal conditions of use and storage (refer to paragraph 7).

#### 10.3 Possibility of hazard reactions

None relevant.

# 10.4 Conditions to avoid

Avoid high temperatures. Keep the product away from open flames. Avoid to expose the container to the direct sunlight.

# 10.5 Incompatible materials

Strong acids, strong oxidants.

# 10.6 Hazardous decomposition products

10/24/2019 English Page 4 of 8

The combustion can release carbon oxides.

# **SECTION 11: Toxicological informations**

No toxicological data available on the product itself. Consider then, the concentration of each substance in assessing the toxicological effects deriving from the preparation.

# 11.1 Information on toxicological effects

Set out below is the toxicological information relating to the main substances in the preparation:

BEHENTRIMONIUM CHLORIDE LD 50 Oral rat: 3190 mg/Kg

**DISODIUM EDTA** 

LD 50 Oral rat: 2000 mg/Kg

**ETHYLHEXYLGLYCERIN** 

LD 50 Oral rat: 2000 mg/Kg

LACTIC ACID

LD 50 Oral rat: 4936 mg/Kg

**PHENOXYETHANOL** 

LD 50 Oral rat: 1260 mg/Kg

STEARAMIDOPROPYL DIMETHYLAMINE

LD 50 Oral rat: 5000 mg/Kg

# **SECTION 12: Ecological informations**

Adopt good working practices, avoiding littering.

#### 12.1 Toxicity

BEHENTRIMONIUM CHLORIDE

LC 50: 3,5 mg/l/96h

BEHENTRIMONIUM METHOSULFATE

LC 50: 96 mg/l/96h

**DISODIUM EDTA** 

LC 50: 320 mg/l/96h

**ETHYLHEXYLGLYCERIN** 

LC 50: 60,2 mg/l/96h

LACTIC ACID

LC 50: 130 mg/l/96h PHENOXYETHANOL

LC 50: 500 mg/l/96h

10/24/2019 English Page 5 of 8

#### 12.2 Persistence

No data available.

#### 12.3 Bioaccumulative potential

No data available.

#### 12.4 Motility in soil

No data available.

#### 12.5 Results of PBT e vPvB assessment

No data available.

#### 12.6 Other adverse effects

No data available.

#### **SECTION 13: Disposal consideration**

#### 13.1 Methods of treatment of the waste

Operate in compliance with local and national regulations.

#### Contaminated packaging

Collect all residues and contaminated packaging. After an appropriate cleaning, packaging can be recycled. Uncleaned packaging must be disposed of under the same requirements of the product.

# **SECTION 14: Transport informations**

UN#: Non hazardous
Proper shipping name: Non hazardous
Class: Non hazardous
Packaging group: Non hazardous

# **SECTION 15: Regulatory informations**

# 15.1 Regulations

Regulation (EC) 1907/2006 (REACH) and following amendments

Regulation (EC) 1272/2008 (CLP) and following amendments

Regulation (EC) 1223/2009 (Cosmetic Regulation) and following amendments

In the EU, finished cosmetic products are exempted from any obligation of classification and hazard labeling, as well as from provisions concerning safety data sheets [(Reg. (EC) 1907/2006, art. 2, comma 6, letter b) and Reg. (EC) 1272/2008 art. 1, comma 5, letter c)].

# 15.2 Evaluation of chemical security

No data available

# **SECTION 16: Other informations**

The data contained in this safety data sheet are based on our current knowledge and experience at the date indicated above. The user must verify the suitability and completeness of such information, in relation to the particular use intended.

This safety data sheet cancels and replaces any previous releases of the same.

According to Regulation (EC) N° 1907/2006 (REACH) with its amendment Regulation (EC) N° 2015/830

Sources of Key Data:

Regulation (EC) N° 1272/2008 and Regulation (EC) N° 1907/2006, with following amendments

Full text of hazard categories and H and EUH statements

Acute Tox. 4 Acute toxicity (inhalation) Cat. 4

10/24/2019 English Page 6 of 8

Acute Tox. 4	Acute toxicity (oral) Cat. 4
Aquatic Acute 1	Hazardous to the aquatic environment - acute toxicity Cat. 1
Aquatic Chronic 1	Hazardous to the aquatic environment - chronic toxicity Cat. 1
Aquatic Chronic 2	Hazardous to the aquatic environment - chronic toxicity Cat. 2
Aquatic Chronic 3	Hazardous to the aquatic environment - chronic toxicity Cat. 3
Eye Dam. 1	Serious eye Damage Cat. 1
Eye Irrit. 2	Eye irritation Cat. 2
Flam. Liq. 2	Flammable liquid Cat. 2
Flam. Liq. 3	Flammable liquid Cat. 3
Skin Irr. 2	Skin irritation Cat. 2
Skin Sens. 1	Skin Sensitization Cat. 1
STOT RE Cat. 2	STOT RE Cat. 2
STOT SE Cat. 3	STOT SE Cat. 3
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H336	May cause drowsiness or dizziness
H373	May cause damage toorgans (state all organs affected, ifknown) through prolonged orrepeated exposure (state route of exposur
H400	Very toxic to aquatic life
H410	Very toxicto aquatic lifewith long lastingeffects
H411	Toxic to aquatic life with long-lasting effects
H412	Harmful to aquatic life with long-lasting effects

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Eye Dam. 1	H318	Calculation method
Aquatic Chronic 3	H412	Calculation method

# Acronyms: