# SAFETY DATA SHEET GOLD DRY SHAMPOO

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name GOLD DRY SHAMPOO

Product No. 25873

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Dry Shampoo

#### 1.3. Details of the supplier of the safety data sheet

Supplier Gold Produkt

Studiestræde 35 1455 Kbh. K Danmark

Tel: +45 3233 8382

# 1.4. Emergency telephone number

#### **National Emergency Telephone Number**

112 or 999

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

Classification (1999/45/EEC) F+;R12.

**Physical and Chemical Hazards** 

Extremely flammable. Pressure chamber may explode in the event of fire.

#### 2.2. Label elements

#### Labelling



Extremely flammable

Risk Phrases

R12 Extremely flammable.

Safety Phrases

A1 Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

A2 Do not spray on a naked flame or any incandescent material.

S2 Keep out of the reach of children.

S16 Keep away from sources of ignition - No smoking.

#### 2.3. Other hazards

Contains: Isobutane. This product does not contain any PBT or vPvB substances.

#### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

BUTANE 25-60%

CAS-No.: 106-97-8 EC No.: 203-448-7

Classification (EC 1272/2008) Classification (67/548/EEC)

Flam. Gas 1 - H220 F+;R12

ETHANOL 10-25%

CAS-No.: 64-17-5 EC No.: 200-578-6

Classification (EC 1272/2008) Classification (67/548/EEC)

Flam. Liq. 2 - H225 F;R11

PROPANE 10-25%

CAS-No.: 74-98-6 EC No.: 200-827-9

Classification (EC 1272/2008) Classification (67/548/EEC)

Flam. Gas 1 - H220 F+;R12

PENTANE 1-5%

CAS-No.: 109-66-0 EC No.: 203-692-4

Classification (EC 1272/2008) Classification (67/548/EEC)

Flam. Liq. 2 - H225 F+;R12
EUH066 Xn;R65
STOT SE 3 - H336 R66
Asp. Tox. 1 - H304 R67
Aquatic Chronic 2 - H411 N;R51/53

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Product name GOLD DRY SHAMPOO

#### **SECTION 4: FIRST AID MEASURES**

4.1. Description of first aid measures

# General information

Get medical attention if any discomfort continues.

#### Inhalation

Fresh air and rest.

# Ingestion

Drink a few glasses of water or milk.

#### Skin contact

Wash skin with soap and water.

#### Eye contact

Rinse with water. Contact physician if discomfort continues.

#### 4.2. Most important symptoms and effects, both acute and delayed

#### **General information**

Solvent abuse can kill instantly.

#### Inhalation

Vapours may cause headache, fatigue, dizziness and nausea.

#### Ingestion

May cause nausea, headache, dizziness and intoxication.

#### Skin contact

Prolonged contact may cause redness, irritation and dry skin.

#### Eye contact

May cause temporary eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No specific first aid measures noted.

#### **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

#### **Extinguishing media**

Extinguish with foam, carbon dioxide or dry powder.

#### 5.2. Special hazards arising from the substance or mixture

#### **Unusual Fire & Explosion Hazards**

Extremely flammable. May explode in a fire.

#### 5.3. Advice for firefighters

#### **Special Fire Fighting Procedures**

Containers close to fire should be removed or cooled with water.

#### Protective equipment for fire-fighters

Wear full protective clothing. Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For personal protection, see section 8.

# 6.2. Environmental precautions

Prevent entry into drains.

#### 6.3. Methods and material for containment and cleaning up

Large Spillages: Dam and absorb spillage with sand, sawdust or other absorbent. Small Spillages: Wipe away with paper or textile fabric.

#### 6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

#### **SECTION 7: HANDLING AND STORAGE**

## 7.1. Precautions for safe handling

Keep away from heat, sparks and open flame. Protect against direct sunlight.

#### 7.2. Conditions for safe storage, including any incompatibilities

Aerosol cans: Must not be exposed to direct sunlight or temperatures above 50°C. Store in a cool and well-ventilated place.

#### 7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
BUTANE	WEL	600 ppm	1450 mg/m3	750 ppm	1810 mg/m3	Carc
ETHANOL	WEL	1000 ppm	1920 mg/m3			
PENTANE	WEL	600 ppm	1800 mg/m3			

WEL = Workplace Exposure Limit.

Carc = Capable of causing cancer and/or heritable genetic damage.

PENTANE (CAS: 109-66-0)

**PNEC** 

Water 0, 027 mg/l

#### 8.2. Exposure controls

#### Respiratory equipment

Respiratory protection is not needed.

#### Hand protection

Hand protection not required.

#### Eye protection

Eye protection is normaly not needed.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

AppearanceAerosol.ColourColourless.OdourPerfume.SolubilitySoluble in water.

Flash point (°C)

Technical impossibility to obtain the data.

#### 9.2. Other information

#### **Volatile Organic Compound (VOC)**

No information required.

#### **SECTION 10: STABILITY AND REACTIVITY**

# 10.1. Reactivity

No specific reactivity hazards associated with this product.

#### 10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

# 10.3. Possibility of hazardous reactions

Not known.

#### 10.4. Conditions to avoid

Avoid heat, flames and other sources of ignition.

# 10.5. Incompatible materials

#### **Materials To Avoid**

No specific, or groups of materials are likely to react to produce a hazardous situation.

# 10.6. Hazardous decomposition products

No hazardous decomposition products.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on toxicological effects

#### **Toxicological information**

No data is available regarding the preparation it self.

#### Inhalation

Vapours have a narcotic effect and may cause headache, fatigue, dizziness and nausea. May cause irritation to the respiratory system.

#### Ingestion

May cause discomfort if swallowed.

#### Skin contact

Skin irritation is not anticipated when used normally. The product contains a small amount of sensitising substance which may provoke an allergic reaction among sensitive individuals after repeated contact.

#### Eye contact

May cause temporary eye irritation.

#### **Health Warnings**

This product has low toxicity. Only large volumes may have adverse impact on human health.

# Toxicological information on ingredients.

PENTANE (CAS: 109-66-0)

#### Acute toxicity:

Acute Toxicity (Oral LD50)

400 mg/kg Rat

#### Acute Toxicity (Dermal LD50)

3000 mg/kg Rabbit

#### Acute Toxicity (Inhalation LC50)

364 mg/l (vapours) Rat 4 hours

ETHANOL (CAS: 64-17-5)

#### **Acute toxicity:**

Acute Toxicity (Oral LD50)

~ 7060 mg/kg Rat

# **Acute Toxicity (Dermal LD50)**

- > 20000 mg/kg Rabbit
- ~ 124.7 mg/l (vapours) Rat 4 hours

#### **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1. Toxicity

No data is available regarding the preparation itself.

#### Ecological information on ingredients.

PROPANE (CAS: 74-98-6)

**Acute Toxicity - Fish** 

LC50 96 hours 16.9 mg/l

**Acute Toxicity - Aquatic Invertebrates** 

EC50 48 hours 16, 3 mg/l Daphnia magna

**Acute Toxicity - Aquatic Plants** 

IC50 72 hours 11, 3 mg/l Marinewater algae

PENTANE (CAS: 109-66-0)

Acute Toxicity - Fish

LC50 96 hours 4, 25 mg/l Onchorhynchus mykiss (Rainbow trout)

**Acute Toxicity - Aquatic Invertebrates** 

EC50 48 hours 2, 7-9, 1 mg/l Daphnia magna

**Acute Toxicity - Aquatic Plants** 

IC50 72 hours 7, 51 mg/l Selenastrum capricornutum

ETHANOL (CAS: 64-17-5)

Acute Toxicity - Fish

LC50 96 hours ~ 13500 mg/l Pimephales promelas (Fat-head Minnow)

**Acute Toxicity - Aquatic Invertebrates** 

EC50 48 hours ~ 5400 mg/l Daphnia magna

Acute Toxicity - Aquatic Plants

IC50 72 hours > 10.9 mg/l Marinewater algae

#### 12.2. Persistence and degradability

#### Degradability

There are no data on the degradability of this product.

#### 12.3. Bioaccumulative potential

#### Bioaccumulative potential

No data available on bioaccumulation.

#### Ecological information on ingredients.

PROPANE (CAS: 74-98-6)

Partition coefficient

log Pow 2, 36

PENTANE (CAS: 109-66-0)

Bioaccumulation factor

**BCF 171** 

Partition coefficient

log Pow 3, 4

ETHANOL (CAS: 64-17-5)

**Bioaccumulation factor** 

BCF ~ 0.66

Partition coefficient

log Pow ~ -0.32

#### 12.4. Mobility in soil

#### Mobility:

No information available

#### 12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances.

# 12.6. Other adverse effects

No information required.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### General information

The manufacturer of this product complies with the rules and regulations of the European Parliament and Council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste, by paying packaging fees for disposal and recycling of packaging waste.

#### 13.1. Waste treatment methods

The plastic lid and valve are sorted as plastic. Empty aerosols are sorted as scrap metal. Residues and non empty containers should be taken care of as hazardous waste according to local and national regulations.

#### **Waste Class**

Non empty containers: EWC code 14 06 03\* Empty containers: EWC code 15 01 04.

#### **SECTION 14: TRANSPORT INFORMATION**

General Aerosols may be carried domestically as limited quantities (1L) as long as each package does not

exceed 30 kg in cardboard boxes or 20 kg on trays with shrink- or stretch wrapping. Each package shall be marked with diamond-shaped area, the top and bottom part is black, surrounded by a line that

measures at least 100 mm x 100 mm.

14.1. UN number

**UN No. (ADR/RID/ADN)** 1950

14.2. UN proper shipping name

Proper Shipping Name Aerosols

14.3. Transport hazard class(es)

ADR/RID/ADN Class 2.5F
ADR Label No. 2.1
IMDG Class 2.1

ICAO Class/Division 2.1

**Transport Labels** 



# 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

**Environmentally Hazardous Substance/Marine Pollutant** 

No.

# 14.6. Special precautions for user

**EMS** F-D, S-U

Tunnel Restriction Code (D)

## 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

#### **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU Legislation**

Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products.

#### **National Regulations**

COUNCIL DIRECTIVE of may 1975 on the approximation of the laws of the Member States relating to aerosol dispensers.

#### 15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

#### **SECTION 16: OTHER INFORMATION**

Issued By Pátkós.

Revision Date 15/04/2013

Revision 1

**Date** 15/04/2013

Risk Phrases In Full

R12 Extremely flammable.

R65 Harmful: may cause lung damage if swallowed.

R11 Highly flammable

R66 Repeated exposure may cause skin dryness or cracking.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R67 Vapours may cause drowsiness and dizziness.

Hazard Statements In Full

H222 Extremely flammable aerosol. H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

EUH066 Repeated exposure may cause skin dryness or cracking.

H411 Toxic to aquatic life with long lasting effects.